Manner: UNDETERMINED

Manner of death certified Undetermined refers to circumstances in which available information is insufficient to classify the death into one of the specific manners of natural or unnatural death. Information concerning the circumstances may be lacking because of the absence of background information or witnesses, or because of a lengthy delay between death and discovery of the body. If an extensive investigation and autopsy cannot clarify the circumstances, the death is placed in this category.

Within King County, there were 69 deaths with manner undetermined, accounting for 4% (69/1,815) of the Medical Examiner death investigations for the calendar year 2003. Drugs caused thirty-two, or 46%, of the 69 deaths of undetermined manner. For a more detailed review of drug-caused deaths in 2003, see also the discussion in the section on Drugs and Poisons on pages 81 & 82.

Graph 8-1 Undetermined Manner of Death in 2003

Total Number of Undermined Deaths = 69





Table 8-1 Undetermined Manner of Death and Race of the Decedent

	RACE							
CIRCUMSTANCES / GENDER	WHITE	BLACK	ASIAN	NATIVE AMERICAN	OTHER	SUB TOTAL	TOTAL	
Blunt Impact	10	0	1	0	1		12	
Male	10	0	1	0	0	11		
Female	0	0	0	0	1	1		
Burns/Fire	1	0	0	0	0		1	
Male	0	0	0	0	0	0		
Female	1	0	0	0	0	1		
Drugs/poisons	30	2	0	0	0		32	
Male	14	2	0	0	0	16		
Female	16	0	0	0	0	16		
Fall	3	0	1	0	1		5	
Male	3	0	1	0	1	5		
Female	0	0	0	0	0	0		
Firearm	1	0	0	0	0		1	
Male	1	0	0	0	0	1		
Female	0	0	0	0	0	0		
No anatomic or toxicologic cause of death	0	1	0	0	0		1	
Male	0	0	0	0	0	0		
Female	0	1	0	0	0	1		
Other	13	1	1	1	1		17	
Male	8	1	1	1	0	11		
Female	5	0	0	0	1	6		
Total	58	4	3	1	3		69	
Percent	84%	6%	4%	2%	4%			

Graph 8-2 Deaths Due to Undetermined Manner of Death and Race of the Decedent



Graph 8-3 Deaths Due to Undetermined Manner of Death and Age Group of the Decedent




Table 8-2 Undetermined Circumstances and Age Group of the Decedent

AGE GROUP (YEARS)														
INJURY METHOD / GENDER	<1	1 to 5	6 to 15	16 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 +	SUB TOTAL	TOTAL
Blunt Impact	0	2	0	1	0	0	3	3	2	0	1	0		12
Male Female	0	2 0	0	1	0 0	0	2	3 0	2 0	0	1 0	0 0	11 1	
Burns/Fire	0	0	0	0	1	0	0	0	0	0	0	0		1
Male Female	0	0	0	0	0	0	0	0	0	0	0	0	0	
Drugs/poisons	1	0	1	1	4	3	10	9	1	1	1	0		32
Male Female	1 0	0	1 0	1	2	2	5 5	<i>4 5</i>	0	0	1 0	0	17 15	
Fall	0	0	0	0	1	1	2	1	0	0	0	0		5
Male Female	0	0	0	0	1	1 0	2	1	0	0	0	0	5 0	
Firearm	0	0	0	0	1	0	0	0	0	0	0	0		1
Male Female	0	0	0	0	1 0	0	0	0	0	0	0	0	1 0	
No anatomic or toxicological cause of death	0	0	0	0	0	0	1	0	0	0	0	0		1
Male	0	0	0	0	0	0	0	0	0	0	0	0	0	
Female	0	0	0	0	0	0	1	0	0	0	0	0	1	47
Other <i>Male</i>	2	0	0	0	3	2	5	2	1	0	0	0	12	17
Female	2	0	0	0	0	1	2	0	0	0	0	0	5	
Total	5	2	1	2	10	6	21	15	4	1	2	0		69
Percent	7%	3%	1%	3%	15%	9%	30%	22%	6%	1%	3%	0%		

 Table 8-3
 Undetermined Manner of Death and Gender of the Decedent

	GENDER					
INJURY METHOD	MALE	FEMALE	TOTAL			
Blunt Impact	11	1	12			
Burns/Fire	0	1	1			
Drugs/poisons	17	15	32			
Fall	5	0	5			
Firearm	1	0	1			
No anatomic or toxicologic cause of death	0	1	1			
Other	12	5	17			
Total	46	23	69			
Percent	67%	33%				

Table 8-4 Undetermined Manner of Death and Blood Alcohol
Test Results of the Decedent

	TE	STED	NOT	
METHOD	POSITIVE	NEGATIVE	TESTED	TOTAL
Blunt Impact	1	4	7	12
Burns/Fire	0	0	1	1
Drugs/poisons	3	25	4	32
Fall	2	2	1	5
Firearm	0	1	0	1
No anatomic or toxicologic cause of death	0	1	0	1
Other	7	7	3	17
Total	13	40	16	69